

Goldcoin Packaging Pvt. Ltd

📍 Vasai Factory Address
Plot No.77, Apple Industrial Hub, Survey No.219,
Hissa No.1, Western Express Highway, Pelhar,
Nallasopara East, Palghar - 401208.

📍 Vapi Factory Address
Plot No.32, Daman Ganga Industrial Park,
Degham Road, Vapi,
Valsad, Gujrat - 396195.

✉ sales@goldcoinpkg.com

🌐 www.goldcoinpkg.com

☎ +91-9920827686
+91-9820204690
+91-7715044441



ADAPTING TO
YO UR NEEDS

Vision

To offer products which are sustainable and recyclable and to create a positive impact by working towards reducing the waste generation, improving the recyclability, and thus eyeing towards protecting our environment and conserving the natural resources.

Mission

- 01** To cater cost effective, well tailored and top quality Plastic Packaging products to our customers.
- 02** To become a single source manufacturer and supplier in Packaging, Abrasives & Insulation segment.

Values

“Growth is never by chance, it is a **result of forces working together**”



Aim towards sustainability



Continuous product development



Maintaining the quality standards



Fulfilling customer's expectations

The Journey of Goldcoin Group of Companies

The journey of Goldcoin Group began in 2005, when the founder members Mr. Ashvin Pansuria & Mr. Ramesh Tilara lead the foundation stone for the company Goldcoin Foam Pvt. Ltd. In such a brief span, with the support & dedicated hard work put in by the team of more than 1000 workforce & of course with a strong vision & conviction from Mr. Ashvin Pansuria, the Group has attained greater heights. To add to it, we have Mr. Chetan Mehta who has joined us as Group CEO since 2014 who is a Plastics Engineer & a Packaging Technologist.

The Group has expanded its manufacturing to 15 different products mainly in protective packaging & insulation. The Group is ISO 9001:2000 Certified & HVAC Certified.

Presently with 9 manufacturing facilities, 13 fabrication units, 1 trading houses & 1 marketing Office, the Group is marching ahead with a jet speed and the growth is inevitable. With the above setup, we have diversified ourselves and have been successful in manufacturing following products with the highest quality standards:


- | | | |
|--|--|--|
| 01 EPE Foam Rolls & Sheets For Packaging & Mattresses | 06 Thermbarrier Tubes | 11 Kraft Paper Corrugated Box |
| 02 PE Fruit Nets For Fruit Protection | 07 Bubble Floor Protector Sheets | 12 Xlpe Chemically Cross Linked Foam For Thermal Insulation |
| 03 PE Rods & Tubes For Expansion Joint And Insulation | 08 Stretch Films For Protection Wrapping | 13 CPP Films For Flexible Packaging In Food |
| 04 Multi Layers Cross Laminated Tarpaulin | 09 Household & Industrial abrasive pad and wheels | 14 Wooden Pallet & Boxes |
| 05 Pp Hollow Sheets For Packaging & Printing | 10 Air Bubble Films For Packaging | |

Apart from strong market share in India, the Group exports its products to countries like USA, Australia, New Zealand, United Kingdom, Sharjah, Dubai, Qatar, Thailand etc.

Also, the Group has a full-fledged warehousing company in Australia, which takes care of Australia, New Zealand & Fiji. The Group's growth since inception has been phenomenal, thanks to the dynamic & progressive management. The driving force behind the success has been enthusiasm in exploring new products.

The Group has latest manufacturing facilities with all State of The Art extrusion lines mainly from the most reputed manufacturers located in different parts of the world. We pledge to offer the best quality products to all our customers, with continuous quality improvisation. We are growing

Our journey throughout the years!!





C O N T E N T →

01	Goldcoin Foam Pvt. Ltd.	10-27
—	EPE Foam	12
	EPE Foam Net	14
	Multi Layer Cross Laminated Tarpaulin	16
—	Goldcoast Polyplast	
	Air bubble Film	24
02	Goldcoin Polyplast	28-35
—	PP Flute Board	30
	PE Stretch Film	33
03	Goldcoin Industries Pvt. Ltd.	36-45
—	XLPE Insulation foam	38
	THERMbarriere UV Laminated Tubes	42
04	Goldcoin Angel CPP Film Pvt. Ltd.	46-61
—	CPP Films	48
05	Goldcoin Abrasive Pvt. Ltd.	62-71
—	Glorious Household Abrasive Pad	64
	ArmourX Industrial Pad	68
06	Goldcoin Abrasive Wheels	72-73
—	Abrasive Wheels	72
07	Goldcoin Packaging Industries	74-75
—	Kraft Paper Box	74
08	Shivalay Goldcoin W ooden Industries	76-77
—	Wooden Pallets & Boxes	76
09	Goldcoin Polypack Industries Metoda, R ajkot Goldcoin Polypack Industries K othariya, Rajkot Maruti Packaging Shapar , Rajkot Goldcoin Packaging, Ahmedabad Goldcoin Technopack Changodar , Ahmedabad Goldcoin Packaging-Unit -II, Ahmedabad Goldcoin Multipack Pvt. Ltd. V adodara Goldcoin Multipack Industries V adodara Goldcoin Packaging Pvt. Ltd. Unit - II V api Goldcoin Packaging Pvt. Ltd. V asai, Mumbai Goldcoin Packaging Corporation, Navi Mumbai Goldcoin Packaging Souldion, Pune Goldcoin Packaging Solutions R anjangaon, Pune Goldcoin Hitech P ackaging, Hyderabad Goldcoin Packaging (Australia) Pty . Ltd. — Protective Packaging & Material Handling Division	78-89




01
Goldcoin
Foam
→

01 | EPE FOAM

Product Range

No.	Property
01	0.85mm to 5mm single layer roll
02	5mm to 40mm multi layer roll
03	15mm to 150mm multilayer sheet
04	Natural EPE foam roll & sheet
05	Antistatic EPE foam roll & sheet (As per customer requirements)
06	Fire retardant EPE foam roll & sheet (As per customer requirements)
07	EPE foam with HM HD film laminate roll (As per customer requirements)



Features

- Resilience
- Cushioning
- Shock absorption
- Flexibility
- Abrasion
- Resistance
- Light weight
- Soft and tough
- Ease of fabrication / lay
- Water / Moisture resistant
- Chemically inert
- Oil resistant
- Non toxic
- Hygienic & Fungal resistant
- Sound / Vibration dampener
- Wider temperature range
- CFC free

Application

Ceramic products and sanitary wares • Electronic equipments • Handicrafts • Submersible pumps • Insulation • Automobiles • Marine • Construction • Jewelry packing • Toys & novelties • Mattress • Packaging • Fabrication • Buffers • Mandap decoration • Furniture industry • Roofing • Carpet & mats • Sports • All type of bags, Shoes, Floring, Cold storage, Tent house, Bus Seat

Technical Specification

No.	Property	Unit	Value	Remarks
01	Density	Kg / Mtr 3	18 - 50	As per ISO : 845
02	Tear strength	Kg / Cm	Upto 0.7	As per ISO : 8067
03	Tensile strength			
	a. Transverse direction	Kg / Cm 2	1.5 - 3.5	IS : 7888
	b. Machine direction	Kg / Cm 2	2.5 - 5.0	- do -
04	Elongation at break			
	a. Transverse direction	%	50 - 70	IS : 7888
	b. Machine direction	%	80 - 100	- do -
05	Compressive strenght at 10%	Kg / Cm 2	0.08 - 0.20	----
06	Water absorption 96 hours at 27° working	%	0.01 - 0.50	----
07	Thermal conductivity at 50° C mean temp.	K-cal / Hr.m0C	0.015 - 0.028	As per ASTM C 177
08	Chemical resistance	----	Excellent	----



Available Colors



02 | EPE FOAM NET

Product Range

No.	Sizes Available
01	50mm x 100mm
02	50mm x 140mm
03	50mm x 330mm
04	60mm x 100mm
05	60mm x 140mm
06	70mm x 150mm
07	40mm x 80mm x 180mm
08	50mm x 80mm x 220mm




Features


- Protection & decoration of your products
- Flexible and easy to use
- Hygienic and non toxic
- Economical and reusable
- Goods, especially suitable for fruits, bottles and other fragile products
- Make your fruits more eye catching, neat and exclusive
- Size and colour customisable
- Soft, light weight

Application

Fruit packaging • Vegetable packaging • Packaging of glass bottles




Available Colors



03 | Multi Layer Cross Laminated Tarpaulin

Essential Characteristics

Manufactures with high standard parameters and close tolerance • High tensile strength & puncture resistance in multi direction • 100% waterproof with good barrier property & moisture resistance • Chemical resistance to acid, alkalis, stain, oil etc. • Thus making it extremely convenient to handle & use light weight • UV treated to resist harsh radiations • Tough & durable with strong aluminium eyelets • Fire retardant as per customer requirements • Rot proof • Heat sealed joints, thus protecting from any leakage • 100% recyclable and thus environment friendly



Available Range of Multilayer Cross Laminated Tarpaulin

GSM / Thickness


70, 90, 100, 120, 150, 200, 250, 300, 350 GSM & Above

Sizes

Goldcoin Tarpaulin offers a wide range of size and also long size which can be fabricated to a custom-made size as per customer's need.

Colour

Any colour our standard colour are



Boat Cover



Market Shelter



Round Tanks

Agricultural

Goldcoin Tarpaulin has wide use for agricultural applications. Available in variety of sizes and can also be made available in customized sizes.



Fast & Effective Drying Using Tarpaulin

01 — Drying of Agriculture Products Such as

- Spices • Chillies • Areca nuts • Coconut
- Turmeric • Grapes • Rubberized items, etc.



Tarpaulin – Poultry Curtains

04 — Poultry curtains

Goldcoin Tarpaulin is used as poultry curtains to protect chickens from extreme weather, heat, cold or rain.



Cover Fresh Harves, Protects Freshness

02 — Silage and Grain Covers

Goldcoin Tarpaulin protects goods from air and water intrusion and reduces loss of moisture, retains freshness and preserves nutritional values.



Tarpaulin Vermibeds

05 — Vermibeds

is a process of managing worms to convert organic matter / waste to rich manure in a short period of time. To facilitate vermi composting, a suitable ambient temperature must be maintained and must avoid heat build-up as the earthworms are sensitive to heat. Use of Goldcoin Tarpaulin for vermibeds presents immense advantages as it helps in temperature control.



Tarpaulin Fumigation Cover

03 — Fumigation Barriers

Goldcoin Tarpaulin can also be used as a containment cover to maximize and economize fumigation process as it has good barrier property that prevents easy escape of fumigated gases and provides good impact.

It also has lower VOC emission into the atmosphere.



Tarpaulin Pond Liner

06 — Pond Liner

Due to vagaries of rainfall, Government is encouraging and supporting water conservation and storage. One of the most popular method is by creating artificial pond / storage reservoir. Goldcoin Tarpaulin offers excellent solution for it as it has high resistance to puncture or tear, light weight and is rot resistance.



Tarpaulin – Containment Cover

07 — Effective Landfill Covers

Due to high gas barrier and water barrier, Goldcoin Tarpaulin can also be used to cover landfill, etc. as it prevents odour/gas from spreading.



Green House Cover

10 — Green House

Goldcoin Tarpaulin in green houses provides optimal protection against heat, cold or heavy rains. Special ingredients and design provide light transmission that is indirect or defused with equal light dispersion due to special additives used while it prevents harmful UV rays.



Tarpaulin used as Cotton Cover

08 — Covers

Goldcoin Tarpaulin is puncture and tear resistance ideal for cover.


Excellent Waterproof Barrier for
Civil / Constructions

11 — Civil Engineering

Goldcoin Tarpaulin is an ideal material for use as a waterproof layer in civil engineering / construction.

As it prevents moisture / vapour migration through concrete slab.


Large Cargo Covers offers
Excellent Protection

09 — Industrial & Transportation Covers

Goldcoin Tarpaulin can be used as a wrap film / cover to protect cargo from dust, moisture and minor scratches.


Tarpaulin to Protect Timber /
Logs from Extreme Weathers

12 — Lumber Cover / Timber Pack

Lumber wrap is a special film which blocks sun rays and prevents heat build-up. Goldcoin tarpaulin Prevents condensation and staining of wood.



Clever Protective Cover

“TO SAFEGUARD MOST VALUABLE PRODUCT”

Features

- Durable high strength material
- Dual seal joint
- Highest international standards put through rigorous testing

Customization

Made as per your requirement
(Size, Colour, Thickness..)



Gardengrow Bags

The garden grow bags are soft, light and durable bags with High resistance to puncture and tear Low coefficient allows easy, fast and safe moving of plants. Moisture from plant bag can easily drain out and the air is able to circulate around your plant and its roots

Different Sizes

- 20.5 Ø X 1 Ft
- 40 Ø X 1 Ft
- 12 Ø X 1 Ft



Quality and Standards

It is made up of specifically chosen polymers and MFG by Higher quality of workmanship and technology. It is manufactured as per ISI Standard 14611-2016(Multilayer Cross Laminated Tarpaulin)

Technical data sheet of multilayer cross laminated film as per is standard.

No.	Characteristics	Requiements		
01	Total mass per Unit Area, Min, g/m2	LN (Light Duty) 60-100 GSM	MN (Medium Duty) 110-150 GSM	HN (Heavy Duty) 200-250 GSM
02	Tensile Strength (kg/cm2, Min) <i>a. Longitudinal Direction</i> <i>b. Transvers Direction</i>	Kg/cm2 250 200	Kg/cm2 250 200	Kg/cm2 250 200
03	After ageing at 70 +/- 1°C FOR 168h <i>a. Longitudinal Direction</i> <i>b. Transvers Direction</i>	30% Decrease from the original		
04	Elongation Break(%, Min) <i>a. Longitudinal Direction</i> <i>b. Transvers Direction</i>	% 400 300	% 400 300	% 400 300
05	Tear Strength, Min <i>a. Longitudinal Direction</i> <i>b. Transvers Direction</i>	% 1200 900	% 2080 1550	% 3000 2750
06	After ageing at 70 +/- 1°C FOR 168h <i>a. Longitudinal Direction</i> <i>b. Transvers Direction</i>	30% Decrease from the original		
07	Dart Impact Strength,g Min	g 250	g 400	g 700
08	Average tensile strength and elongation break after exposing to UV radiation and weathering changes	30% Decrease from the original		

Note : The above values may very as per GSM of the sample. This information is for awareness only. GFPL will not be responsible for any miscoduct, misuse of product or information shared here.

04 | AIR BUBBLE FILM

Technical Specifications

Name	Details
Water absorption	0.02% after 14 hrs.
Chemical resistance	Excellent
Thermal conductivity	Very low
Service temperature	8 degree C+60 degree C
Transparency	T-90%
Tensile elongation at break	More than 200%
Bursting strength	More than 2500 kg/cm ³
Bubble diameter	10 mm
Bubble density	8150 Nos/Sq. mt.
Maximum width	2.0 mtr
Length available	Upto 100 mts.
GSM available	40 GSM to 180 GSM

Product Features

Transparent, hygienic, dust free & non toxic • Can be easily wrapped around the product for cushioning • Resistant to moisture • Provides excellent surface protection against accidental impact & scratches • Can be supplied in roll form or in customized fabricated forms such as pouches • cut pieces, wraparounds etc. • Various laminates available such as foam, film (printed or unprinted) • Environment friendly product. 100% recyclable.



Application

Used as protective packaging • Used in electronic and automobile industries • Meagerly used in pouch form by electronic, Automobiles, furnitures and other industries to protect fragile equipments • Flexible & light weight packaging


Product Range


Guage	GSM	Weight for 1 mtr. rools	Weight for 1.5 mtr. rools	Weight for 2 mtr. rools
175	40	4.00	6.00	8.00
200	45	4.50	6.75	9.00
220	50	5.00	7.50	10.00
230	54	5.40	8.10	10.80
240	55	5.50	8.25	11.00
250	57.5	5.75	8.60	11.50
260	60	6.00	9.00	12.00
280	65	6.50	9.75	13.00
300	70	7.00	10.50	14.00
325	75	7.50	11.25	15.00
350	80	8.00	12.00	16.00
380	87	8.70	13.05	17.40
400	90	9.00	13.5	18.00
450	105	10.50	15.75	21.00
480	110	11.00	16.50	22.00
500	115	11.50	17.25	23.00
550	125	12.50	18.75	25.00
600	140	13.50	21.00	27.00
700	160	16.00	24.00	32.00
800	180	18.50	27.50	37.00





**Available
Colors**





02

Goldcoin
Polyplast



Goldcoin Polyplast

Goldcoin Polyplast is a group company of the renowned Goldcoin Group, that delivers quality protective packaging products. Goldcoin is the ultimate packaging solution that provides services in domestic as well as in international markets.

Equipped with complete know-how, Goldcoin Polyplast manufactures PP Profile Hollow Sheets, PE fabricated products and boxes.

05 | PP FLUTE BOARD

Goldcoin PP flute board is available in eye catching attractive colours and shades. PP Flute board is printable and available in Matt & Glossy finish. Goldcoin PP flute board is reusable due to better hinge strength and stiffness, hence more economical. "PP FLUTE BOARD" is a versatile material for packaging of industrial as well as consumer goods including kits of electric and electronic items, tools, glass wares, textiles, shoes, medical kit and sample kit for tiles and many more.



Features

- High strength rigidity
- Chemically inert
- Attractive colours
- Excellent puncture resistant
- Excellent compression strength
- Easily fabricated as per customer requirement
- Weather resistant
- Non toxic
- Washable, Lightweight & Reusable

PP Flute Board Available Range

Thickness	: 2mm to 10mm, 12mm
Width	: Upto 2440mm as per customer requirement
Colours	: Yellow, White, Blue, Gray, Green, Red, Black, Orange and as per customer requirement

PP Flute Board Special Grades

Anti static	: For sensitive electronic components
Conductive	: For active electronic components
U.V. Stabilised	: For prolonged outdoor application
Fire retardant	: For construction & interiors

PP Flute Board Application Area

Advertising	: Signage, POP, Hoarding, Display, Boards, Exhibition stall
Packaging	: Master cartons, Packaging for fruits, Vegetables, Glass, Delicate items, Chinaware, Lab ware, Auto parts, Electrics & Electronics, Pharmaceuticals etc.,
Construction	: Porta cabins, Doors floorings, False ceilings, Protective liner for wardrobe & Furniture paneling
Other	: Lab furniture, cooling towers, Pellets, Roofing for green house, Novelties, Boards for Rular / Propaganda vans



Available Colors



PP FABRICATED PRODUCTS


We are passionate about providing the best PP products to our clients. For us, polypropylene is versatile and perfectly suited for just about any application.

We have a full fabrication facility in house to convert sheets into customized fabricated products. These products are manufactured with durable materials sheets and specifically designed for multiple trips and extended life. They are durably made to support multipurpose uses without the impairment of protective features. The term returnable is also used interchangeably. It includes returning packages or components other than recycling, disposal, incineration, etc. Our fabrication facility include platen punching and flatbed die cutting machines, roller cutting, ultrasonic welding, riveting, edge sealing.



06 | PE STRETCH FILM

Goldcoin Cast Stretch Films protect your products from scratches, abrasions, stains and other damage and ensure that they reach your customers as good as new. Our Cast Stretch Films can be used for variety of loads and can help create load securization for your goods in transit.



Benefits of cast stretch films

- Protect against moisture, dirt and micro particles safeguarding the goods
- Easy to remove as it doesn't use any additional adhesive
- High clarity / Transparent

Machine Grade Roll : Superior load retention to reduce shifting and movement. Excellent puncture resistance with better protection and cleaner film. Suitable for conventional and power pre stretch machine wrapping of palletized goods.

Hand Grade Roll : Lightweight and easy to use. Manual wrapping of palletized wood, bricks, paper and other industry products.

Advantages of Goldcoin stretch film

- Stretch film protect against moisture, dirt and micro particles safe guarding the goods.
- Easy visible / Transparent.
- Easy to remove as it doesn't use any additional adhesive.





03

Goldcoin
Industries



07 | XLPE INSULATION
FOAM

THERMbarrier




Product Range

- Available in various thickness from 2.5mm to 250mm as per customer requirements
- Material density as per order (25 - 250 kg/m3)
- FR Material available as per customer requirements
- Available with Adhesive backing on customer request
- Available with various factor applied lamination such as Metalized film, Aluminium foil, UV films one side & both side is available on customer request.
- Material width customisable (max 2500mm)

Technical specifications

No.	Property	THERMbarrier Typical Values			Test Method
01	Material description	Fire retardant chemically cross linked and closed cell polyethylene foam insulation			----
02	Material form	Rolls, sheets and tubing			----
03	Applications	Thermal accoustic insulation textile,HVAC and building industry			----
04	Operating temperature	-40 C° to + 115 C°			----
05	Thermal stability	Less than 5% shrinkage at 90° C for 24 hours			----
06	Colour	Grey, Natural and Black			----
07	Thermal conductivity (W/m° K)	Mean temperature (°C)	W/m° K	K Cal/hr m° C	IS : 3346 / 1980
		0° C	0.0318	0.0273	
		23° C	0.0328	0.0282	
		46° C	0.0383	0.0329	
08	Fire characteristic (FR)	Class '0' Class '1'			BS476 Part 6 BS476 Part 7
09	Resistance to chemical (for both mild acidic & alkaline)	No effect			ASTM D 543 : 21
10	Sound transmission class	40db			IS : 9301 / ISO 140/ ASTM E 413
11	Fungal resistance	No growth observed			ASTM G 21
12	Smoke density				ASTM D 2843 : 99
	a. Smoke density rating	6.5%			
	Light absorbtion				
	b. Maximum smoke density	13.1%			
	Light absorbtion				
13	Tensile strength, MPa				BS4370 Part 2 : 1993
	a. Longitudinal direction	5.5			
	b. Transverse direction	5.5			





Insulation

Application

Air duct and pipe insulation for cooling, heating and refrigeration pipes, insulating wrapping, impact sound insulation, air conditioning parts, Building and construction, automotive and industrial

Advantages

- Low thickness for efficient anti condensation
- Low thermal conductivity
- High resistance to water-vapour diffusion (no capillary effects)
- High elasticity and flexibility
- Lightweight / easy to install
- Environment friendly

Construction

Application

Gasket taps, padding for remote heating, corrugated panel seals, screed floors, joint fillers, parquet underlay, corrugated roof insulation, tunnel insulation, membrane protection, etc.

Advantages

- Excellent thermal insulation
- High elasticity
- Low water absorption
- Highly scratch-resistant
- Highly stable over time
- Good impact sound insulation



Sports and Leisure

Application

Sport shoes insoles and inners, camping mats, sports and gymnastics mats, swimming board, seat cushions, life jackets, swimming accessories, toys, helmet lining, shoulder pad and backpacks.

Advantages

- High elasticity
- Low water absorption
- Friendly to skin
- Easy to clean
- Long service life
- Soft and comfortable
- Non toxic
- Multiple colors


Acoustics

Application

It is used in sound insulation in projects to minimize noise of generator and compressor enclosures. It is also used in theaters and sound studios, also in construction projects and air ducts.

Advantages

- Lightweight
- Sound absorbtion
- Energy efficient
- Improved productivity
- Environment friendly



Automotive Industry

Application

For moulded and stamped parts used in interior cladding, e.g. linings for wheel arches and car boots, door insulation seat covers, insulation for heating and air conditioning, etc.

Advantages

- Lightweight
- Excellent insulation
- Totally acceptable ecologically
- Outstanding thermoforming behavior
- Thermal insulation
- Shock proof
- Lightweight
- Weather resistant


Packaging

Application

Packaging interlayer, reusable packaging for the motor and electrical industries, load-carriers, corner protection, outer packaging, tray holder, distance holder, etc.

Advantages

- Very good forming behaviour
- Clean and easy to use
- Excellent padding qualities
- Excellent recovery
- Lightweight
- Multiple re-use



Rebonded foam

Application

Mattresses, Sofa cushions, Gym mats, Automotive seating, Sound proofing, Packaging.



Advantages

- Extremely high density
- Lightweight build
- Highly versatile
- Sound proof
- Shock absorbents
- High indentation load deflection



08 | THERMBARRIER TUBES

Premium performance pipe insulation offering lower installation costs and maximum energy savings



THERMbarrier

Application

Copper pipe insulation of internal and external units • Chilled and hot water pipes • Oil and Gas pipes • Pharmaceutical, food and beverages industries. • Hospitals



Features


- Easy to install • Provides heat and sound insulation of the area it is applied • Close cell structure • Low heat permeability
- High resistance against water and moisture • Oppose high resistance against impacts • Lightweight, elastic and durable
- Hardwearing • Odorless • Washable • Antibacterial and hygienic
- Environmentally friendly, does not contain CFC & HFCF • Soft and flexible

Product Range

- Outer surface shaped optionally (pyramid shaped) • Production in the required density and wall thickness (I.D. and O.D.)
- Film and foil laminations shapes in different types • B-1, B-2, F/R (flame retardant)

THERMbarrier Tubes







(An INDO-THAI Joint Venture)

Goldcoin **Angel CPP Film Pvt. Ltd.**

Goldcoin Group - India and Angel Products Company - Thailand diversified in new era of success with great experience and new exposures to touch endless heights of growth in flexible packaging industry. Our aim is to be an internationally well-known enterprise in the field of food packaging products. We are focusing on research and development of environment-friendly materials for flexible packaging segment.

04

Goldcoin
Angel
CPP film



CPP Film Technical Specifications

Properties	Test Method	Unit	Typical Value
Thickness	D-375	Micron	18 to 80
Film density	D-1505	Gm/cc	0.91 / 0.95
Grammage	D-2673	Gms/Sq.mtr	16.38 to 76
Treatment level	D-2578	Dyne/cm	38 to 42
Coefficient of friction	D-1894	N/A	0.16 to 0.25
Heat seal initiation temperature	F-88	±2 C	95 to 130

Made From FDA Approved Polymers



09 | TRANSPARENT CPP FILMS

Description

GC-CPL is Co-extruded transparent films with one side corona treated and other side sealable.

Applications

Noodles packaging • Shampoo packaging • Pasta packaging • Dry fruits packaging • Snacks foods • General food pack

Features

Transparent, hygenic, dust free & non toxic • Good optics • Consistent slip • Good machinability • Good hot tack • Good seal integrity



METALIZED CPP FILMS

Description


GC-CPM is Co-extruded transparent for metallization. It is one side corona treated and other side sealable. To be metallized on corona side.

Applications

Namkeen • Pan masala • Candy

Features

Excellent mechinability • Excellent sealing strengh • Superior metal anchorage



WHITE OPAQUE CPP FILMS

Description

GC-CPL is Co-extruded white opaque film with one side corona treated and other side sealable

Applications

Biscuit • Pouch • Ice candy • Sanitary pad • Soap • Diapers

Features

Excellent gloss & improved opacity • Consistent slip • Good mechinability • Excellent sealing integrity
• Whiteness eliminates the need for white ink • Excellent hot tack



BREAD OVER WRAP CPP FILMS

Description

GC-CPBR is Co-extruded transparent CPP films one side corona treated and both side heat sealable

Applications

Bread Packaging

Features

Good optical properties • Low slip for high speed packaging • Excellent machinability • Excellent hot tack



RETORT CPP FILMS

Description

GC-CPL is Co-extruded transparent CPP films one side treated for aseptic / retort packaging

Applications

Ready to eat food • Masala pack • Meat pack • Microwave • Hot filling • Corn packaging

Features

Excellent sterilization performance • Excellent lamination adhesive anchorage • High seal strength



PEELABLE CPP FILM

Description

GC-ATFG our peelable CPP film is an co-extruded polypropylene film one side be designed for aseptic / retort packaging as the sealing layer, the other side treated with corona to be laminated with other material.

Applications

Ready to eat food • Masala pack • Meat pack • Cold filling

Features

121 °C resistant for 45 min • Cold resistance by -10°C • Lidding cup, box, tray with PP material
• Easy or hard to peel off



ANTIFOG CPP FILM

Description


GC-ATFG our CPP antifog lamination films efficiently prevent misting of transparent lidding and are suitable for numerous peelable and lock seal applications. Typical applications are fresh vegetables, microwave dishes, meat and convenience food. The demands on quality by the consumer are high; a clear view of the product - despite closed container - as a convincing argument for freshness. Unique product characteristics without compromise.

Applications

Ready to eat food • Masala pack • Meat pack • Microwave • Hot filling • Corn packaging • Cold filling

Features

Earlier sealing • Good sealing window • For different sealing application with the advantages of high seal integrity
• Film bond are maintained reaction when laminating, imprinting or sealing.



METPET FILM

Description


GC-MTPT our PE coating packaging film is an untreated metallized PET film coated transparent PE film that combines high strength and durability (2 ply), good dimensional stability and excellent barrier properties. Our PE coating packaging film maintains these characteristics and is also hot melting treated on one side to enhance adhesive to other materials.

Applications

EPE foam • XLPE foam • Rock wool • Glass wool • Air bubble reflector insulation • Nitrile foam rubber

Features

Hot melting provides good surface adhesion for other materials • Can be pested or laminated using methods suitable for hot melting treated polyester • Excellent handling characteristics • Available in special grade suitable for lamination.



ALUMINUM FOIL

Description

GC-AFIM is Combine with aluminum foil laminate with pet and coated with PE (3 ply). It is economical solution for a wide range of industrial, manufacturing, packaging and consumer application. Such as for industrial sheds, commercial buildings, home insulation, roof insulation, packaging, material to the sensitive products

Applications

EPE foam • XLPE foam • Rock wool • Glass wool • Air bubble reflector insulation • Nitrile foam rubber

Features

Strong at high temperature • Good embossing performance • PET+ Aluminum foil+ PE



MEDICAL GRADE CPP FILM

Applications

Syringe packaging • Operation blade packaging

Features

Excellent sterilization performance • Good optics • Good mechinability • Good seal integrity

Available Colors



STEEL COIL & CABLE PROTECTION SHEET

Applications


Steel coil wrapping • Cable wire drum wrapping • Metal packaging • Separator part • Automobile packaging

Available product range


No.	Thickness (mm)	GSM	Width & Length
01	2mm to 5mm	125 GSM to 2000 GSM	As per you requirement

Width available : Upto 2400mm | Standard size : 1220mm x 1830mm | Roll form and sheet available


Available product range



White



Blue



Grey



Yellow



BUBBLE FLOOR PROTECTION SHEET AND ROLL

Applications

Bubble floor protection is used for tiles / marble protection during the work of colour and furniture of residential house, offices, showroom, etc.

Available product range

No.	Thickness (mm)	GSM	Width & Length
01	2.5mm / Customisable	125 GSM to 2000 GSM	As per you requirement

Width available : Upto 2400mm | Standard size : 1220mm x 1830mm | Roll form and sheet available



Note : Sheet size & colour can be customize





05

Goldcoin
Abrasive



Goldcoin Abrasive Pvt. Ltd.

Goldcoin Abrasive being under the umbrella of Goldcoin Group is into manufacturing of a complete range of Scrub Pads, Abrasive Pads specifically are used for all household cleaning as well as industrial applications. These products are being manufactured by hi-tech Air Laid Technology with a state of the art manufacturing setup and under very strict production & quality control measures.

10 | GLORIOUS HOUSEHOLD PADS

Ideal for effective cleaning of any stain and germs from countertop, stainless steel or ceramic surface

Scouring pad sponger wipe high quality sponge, pliable scouring pad, let you enjoy a cleaning kitchen life.



Benefits

- Resist sponge odors, staining and crumbling caused by bacteria
- Multipurpose powerful cleaning action
- Combines powerful cleaning action with less scratching
- Antibacterial
- Flexible and comfortable
- Helps clean stubborn stain and still safe to use on non-stick surface

Application

Stainless steel sinks • Ceramic surface • Kitchen work top, utensils and equipment • Enamel basin, bath and chrome tiles

HAND PADS

Size	Thickness	Colour
75mm x 100mm Customisable	10mm - 25mm	Green / Red / Black

Features


High quality nylon fibre pads

- Anti-bacterial formule
- Flexible and soft scrubbing


Application

Kitchen work tops, utensils & equipment

- Stainless steel sinks
- Enamel basin, baths and chrome tiles




Durable & Effort saving



Excellent surface effects



Strong flexibility & easy use



Powerful cleaning

SPONGE HAND PAD

Size	Thickness	Colour
75mm x 100mm	5mm - 10mm Nylon pad	Green pad with yellow sponge

Features

High quality nylon fibre with soft sponge

- Soft cleaning with sponge, heavy stain cleaning with scrub
- Ceramic surfaces • Non-stick pans
- Natural cleaning solution works on everything from your stovetops to your countertops



Fume hood is more suitable



Cleaner stove table



Does not hurt pots and bowls



Special for oil cleaning

SPARKLE

Size	Thickness	Colour
75mm x 100mm Customisable	10mm / Customisable	Green / Customisable

Features

Easy use and strong flexibility • Powerful cleaning

- With silver stain cutters • It has every layer uniformly distributed abrasive
- Silver refers to colour only as a visual cue of presence of Alox.



ANTI BACTERIAL

Size	Thickness	Colour
75mm x 100mm Customisable	10mm / Customisable	Green, Black, Red and Blue

Features

Prevents germ growth

- Reduces residual of ad smell • Helps remove tough stain like grease
- It has anti-bacterial activity that arrest bacterial growth which reduces bad smell by 95% • Superior cleaning



HEAVY DUTY

Size	Thickness	Colour
75mm x 100mm Customisable	25mm / Customisable	Red, Green, White and Customisable

Features

Powerful cleaning on sticky stain

- Heavy duty cleaning in utensils like tava, kadai, pressure cooker and etc.
- Powerful action on sticky stain.



NON-ABRASIVE WHITE-PAD (Non Scratch)

Size	Thickness	Colour
75mm x 100mm Customisable	25mm Customisable	White

Features

Made of scratch free material • Protects your delicate items

- Best for cleaning mirror, Non stick pans and delicate surface / items • Also used in automobile cleaning
- Tiles grout cleaning



TILE BRUSH (Bathroom scrubber)

Size	Thickness	Colour
4.5" x 6.5"	22mm x 25mm	Green, Red, Black and White

Features

Thick pad with handle

- Unique triangular head to help reach difficult areas
- Best for cleaning floor and bathroom tiles





11 | **G-747 MEDIUM ALO HAND PADS**

Product code	Grit	Colour	Size
G-747	Very fine	Maroon / Green	150mm x 230mm

Heavy duty ALO medium tan handpads for hand sanding & machine sanding applications

Features

- Premium quality Nylon fiber • High performance ALO grain
- Synthetic water proof resin bond • Multi-coat • Superior finish



**G-644 MEDIUM
COURSE HANDPADS**

Product code	Grit	Colour	Size
G-644	Fine	Maroon / Green	150mm x 230mm

Features

- Tough nylon fibre high strength • Synthetic water proof resin bond
- Superior finish

Benefits

- Long lasting • Suitable for deburring
- Polishing and finishing of aerospace components



**G-748 ALO ULTRAFINE
HAND PADS**

Product code	Grit	Colour	Size
G-748	Ultra fine	Maroon / Green	150mm x 230mm

Medium duty ALO Ultra fine hand pads for hand sanding & machine sanding application

Features

- Tough nylon fibre high strength • Synthetic water proof resin bond
- Superior finish • Final finish on wood / metal / acrylic



G-746 H HEAVY DUTY (Extreme hard)

Product code	Grit	Colour	Size
G-746	Medium	Maroon / Gray	150mm x 230mm

SILICON CARBIDE IN MEDIUM GRIT

Features

- Premium quality Nylon fiber
- Synthetic water proof resin bond
- High performance ALO grain
- Single coat
- Excellent finish
- Blending deburing
- 2 x life
- Removes rust and oxidation



ARMOURX FLOOR PADS

Product availability

Product type	Brand
Black stripping pad - 7400	Armourx floor pad
Heavy-duty scrubbing	Black
Suitable for rough industrial floors	
Green cleaner pads - 5400	Armourx floor pad
Wet and heavy-duty scrubbing pads	Green
Suitable for irregular concrete floors	
Red buffer pad - 6400	Armourx floor pad
Dry buffing and spray buffing on all types of floors	Red
Light scrubbing on marbles	
White polish pads - 4100	Armourx floor pad
Dry polishing and polishing with mist.	White
Imparts highgloss on marble and granites	


Features

Made from high strength non woven abrasive web, for cleaning and maintenance of floors

- Runs at 175 to 350 RPM
- Can be used along with alkaline cleaner solution



OUR CERTIFICATION



Goldcoin abrasive wheels specializes in production of non-woven polishing wheels for industrial use. They are manufacturing and supplying abrasive products and grinding wheels that are engineered to perform optimally in complex and challenging applications.

Armourx Products

Abrasive wheels are rotating wheels made of abrasive particles bonded together to form a solid, circular shape. They are commonly used in industrial applications for cutting, grinding, and polishing a variety of materials, including metal, stone, and concrete. The abrasive particles on the surface of the wheel wear down the material being worked on, creating a smoother surface or a desired shape. Abrasive wheels are available in different types, shapes, and sizes, and are selected based on the application and the material being worked on. Goldcoin Abrasive Wheels specializes in producing Non Woven Polishing wheels, which are made by bonding synthetic fibers with abrasive particles to create a durable and flexible wheel for polishing and finishing metal surfaces.

Application

It is used for finishing and grinding of such hardware work pieces as castings, manual tools, knives and stainless products, as well as clearing of welding points and finishing of auto and motorcycle fittings.



Product Specification

Product Specification	Colour	Density standard	Weight	Quantity (Pieces / carton)
100 MM x 13 MM	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	40 - 45 Gram 45 - 50 Gram 50 - 55 Gram 55 - 60 Gram	300
100 MM x 15 MM	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	40 - 45 Gram 45 - 50 Gram 50 - 55 Gram 55 - 60 Gram	300
6 x 1 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	50 - 90 Gram 95 - 115 Gram 115 - 125 Gram 135 - 145 Gram 150 - 170 Gram 180 - 190 Gram 200 - 210 Gram	80

6 x 2 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	160 - 180 Gram 190 - 210 Gram 220 - 240 Gram 260 - 280 Gram 330 - 350 Gram 375 - 405 Gram 460 - 500 Gram	40
8 x 1 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	145 - 165 Gram 165 - 185 Gram 210 - 230 Gram 245 - 265 Gram 285 - 310 Gram 360 - 380 Gram 410 - 430 Gram	40
8 x 2 Inch	Maroon / Black	U000 / 2P U00 / 3P U0 / 4P U1 / 5P U3 / 7P U5 / 9P U8 / 12P	260 - 290 Gram 350 - 380 Gram 410 - 450 Gram 500 - 530 Gram 600 - 650 Gram 700 - 750 Gram 800 - 850 Gram	20
10 x 2 Inch	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	750 - 800 Gram 920 - 970 Gram 1000 - 1050 Gram 1250 - 1310 Gram	20
12 x 2 Inch	Maroon / Black	U1 / 5P U3 / 7P U5 / 9P U8 / 12P	1050 - 1150 Gram 1300 - 1400 Gram 1600 - 1650 Gram 1820 - 1950 Gram	20
14 x 2 Inch	Maroon / Black	U3 / 7P U5 / 9P U8 / 12P	1720 - 1820 Gram 2050 - 2150 Gram 2450 - 2550 Gram	10





Goldcoin Packaging Industries deals in manufacturing Kraft Paper Corrugated Box. Here we have a wide range of corrugated boxes available i.e., (3 PLY, 5 PLY AND 7 PLY) with various Paper specification as per customer requirement.


Types of Printing Available are Rotogravure Printing and Stereo Printing.



We have various style of corrugated boxes available for you to choose from such as



Regular slotted container (RSC)



Full overlap container (FOL)



Mailer Box



Jumbo Box



Coated box



08

Shivalay
Goldcoin
Wooden
Industries



Shivalay Goldcoin Wooden Industries specialises in production of Wooden Crates, Box and Pallets. These are used by Manufacturing and Automotive Industries during transit of their products between Factories or Warehouses. Wooden Box and Pallets are ideal for Fragile items.

Features

Excellent Shelf Life • Suitable for Fragile Items • Easily stackable • Reusable • Available with Collars and Lids • Ideal for Pallet Magazines and Automated Production lines





15 Total Innovative Packaging Solutions

Goldcoin Group has been into the manufacturing of Rigid & Flexible Packaging products since 2005 and has gained its market position as one of the leading quality manufacturers in India. We have realized over these years that packaging is one of the most important component for any product to be successful as it protects, preserves and delivers them with ease and convenience. With the vast experience over these years and also the feedback and information from the market, we have gone ahead with the forward integration in terms of putting up converting/fabrication units across various locations inorder to cater to Electronics, White goods and Automobile, Renewable energy & Insulation giants.

We started this exercise 10 years back and have been successful in installing multiple converting/fabrication units across India and continuously striving to expand our base in other territories as well.

Today, we are proud to positions ourselves as just not only product suppliers but also complete packaging solution providers where we assist our customers based on their functional requirements, to develop customized products suiting to their specific applications. With this our customers just have to discuss their requirement and we deliver them, through our expertise, total solution for their packaging needs.

With a wide array of 15 varied products, we are capable of developing the complete solutions inhouse, thus providing our customers with reliable, robust and functional packaging products.

Our vision is to be in the proximity of all the major manufacturing giants, there by committing them and delivering the right solution with Just in Time concept to their door steps.




Air Bubble Pouch



Antistatic EPE Foam Fitment



EPE Foam Fitment



PP Sheet



PP Tray



LD Film



Polyoly Shrink Film



PP Box



PP Box




Kraft Paper Box




PP Partition



PP Tray



EPE Foam Tray




XLPE Foam
Fitment




XLPE Foam
Fitment




EPE Foam




XLPE Laminated
Foam



XLPE Foam
Fitments




EPE Foam Pouch



EPE Foam Roll



XLPE Foam



EPE Profiles



Kraft Paper Box
with EPE Foam
Fitments



Big Size Air
Bubble Pouch



XLPE Foam
Fitment



Kraft Paper
Box with EPE
Fitment



PP Boxes



EPE Foam
Fitment



PP Tray with
Foam Fitment



PP Box with
Top Bottom Lid




PP Box



PP Tray



PP Tray



PP Tray with
Separator



XLPE Fitment



XLPE Fitment



EPE Foam
Fitment



PP Box



PP Printed
Sheet



PP Sheet for
Hoarding



PP Box



PE Stretch Film



PE Stretch Film



PP Bin



PP Sheet Hoarding



PP Sheet Hoarding



PP Stand




PP Stand



PP Tray



PP Tray with Partition



PP Tray



EPE Foam Buffer



Air Bubble Pouch



Anti Static Air Bubble Film Pouch



Air Bubble Film



EPE Foam Fitment



EPE Foam Fitment



EPE Foam Fitments



EPE Foam Pouch



Printed PP Sheet



EPE Foam Fitment



PP Display Box



Air Bubble Film Pouches





PE Stretch Film



XLPE Insulation Foam




Thermobarrier Tubes



With our phenomenal growth over these years and overwhelming acceptance by our customers from various parts of the world, we eventually decided to start our base in Australia, where quality is the prime requirement.

With a full fledged warehousing facility in Adelaide We are successful in Penetrating in Australia & New Zealand market with most of our products range.

PP Flute Sheets



EXHIBITIONS PARTICIPATED



Visit to Prime Minister Office
December - 2016 - Delhi



Visit to Prime Minister Office
December - 2016 - Delhi



ISSA Cleaning Expo
Melbourne



Clean India
Mumbai



Engineering Expo
Rajkot



Plastindia
Delhi



Plastindia
Ahmedabad



Plastivision
Mumbai

EXHIBITIONS PARTICIPATED



Plastivision
Mumbai



Baku Build
Russia



IPF
Japan



Plastindia
Delhi



Saudi HVAC Expo
Jeddah



Pacprint- Melbourne
Australia



Roof India
India



Printpack
Delhi

OUR VALUABLE CUSTOMERS




www.goldcoingroups.com





Goldcoin Group's Manufacturing & Fabrications Units



Setting
STANDARD
— For —
Remarkable
Quality

